

Status as on 31.03.2020

Subject: Status of Environmental Clearance Conditions for MS quality up-gradation and HSD quality up-gradation in Barauni Refinery

Ref: Ministry's clearance letter no J-11011/15/2015 - IA II (I) dated 06.03.2017.

SN	Point	Status
Α	Specific Conditions	
i.	M/s IOCL shall comply with standards/norms for Oil Refinery Industry notified under the Environment (Protection) Rules, 1986 vide G.S.R. 186(E) dated 18 <sup>th</sup> March, 2008.	<ul> <li>Please refer Annexure-1 for detailed status for compliance of standards/norms for Oil Refinery Industry notified under the Environment (Protection) Rules, 1986 vide G.S.R. 186(E) dated 18<sup>th</sup> March, 2008.</li> </ul>
ii.	Continuous on-line stack monitoring for $SO_2$ , NOx and CO of all the sacks shall be carried out.	<ul> <li>Continuous on-line stack analyzers for monitoring of SO<sub>2</sub>, NOx, CO &amp; PM have been installed and connected to CPCB server for 20 nos. of stacks.</li> </ul>
		<ul> <li>SOx, NOX, CO and PM analysers for remaining 2 stacks for furnaces of heat duty less than 10 MKcal/hr are also being procured as a part of ongoing BS-IV project.</li> </ul>
		• Complied.
iii.	The process emissions {SO2, NOx, HC (Methane & Non-methane)}, VOCs and Benzene from various units shall conform to the standards prescribed under the Environment (Protection) Act, 1986. At no time, the emission levels shall go beyond the stipulated standards. In the event of failure of pollution control system(s) adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency of the pollution control device has been achieved.	<ul> <li>SO<sub>2</sub>, NOx, CO &amp; PM are monitored with online SO<sub>2</sub>, NOx, CO and PM analyzers.</li> <li>Process emissions from all units are monitored once in two months except SRU (which is monitored monthly) by MoEF approved external agency M/s Mantec Environmental Laboratories.</li> <li>Total SO<sub>2</sub> emissions from existing units at BR are less than the stipulated limit of 815 kg/hr.</li> <li>Complied.</li> </ul>
iv.	Leak Detection and Repair programme shall be prepared and implemented to control HC/VOC emissions. Focus shall	Leak detection and repair programme is already in place at Barauni Refinery and same is carried out on quarterly basis.

	be given to prevent fugitive emissions for which preventive maintenance of pumps, valves, pipelines are required. Proper maintenance of mechanical seals of pumps and valves shall be given. A preventive maintenance schedule for each unit shall be prepared and adhered	<ul> <li>Preventive maintenance schedule for each unit is in place and same is strictly adhered to.</li> <li>Monitoring of fugitive emission from tank farm area is included in Leak Detection and Repair Programme.</li> <li>394 nos of hydrocarbon detectors are installed in strategic locations in the various process units, tank</li> </ul>
	to. Fugitive emissions of HC from product storage tank yards etc. must be regularly monitored. Sensors for detecting HC leakage shall be provided at strategic locations.	farm, and other plausible locations.  • Complied.
V.	SO2 emissions after expansion from the plant shall not exceed 815 kg/hr and further efforts shall be made for reduction of SO2 load through use of low sulphur fuel. Sulphur recovery units shall be installed for control of H2S emissions. The overall sulphur recovery efficiency of Sulphur recovery unit with tail gas treating shall not be less than 99.9%.	<ul> <li>Total SO<sub>2</sub> emission from existing units at BR is less than the stipulated limit of 815 kg/hr.</li> <li>SRU (Sulphur Recovery Unit) unit (without tail gas treating) consisting of 2 chains of capacity 40 MT/day of Sulphur production each is installed at Barauni Refinery.</li> <li>As per norms for Oil Refinery Industry notified under the Environment (Protection) Rules, 1986 vide G.S.R. 186(E) dated 18<sup>th</sup> March, 2008, existing SRU installed in the refinery should have 98.7% sulphur recovery and Barauni Refinery complies this standard.</li> <li>New SRU envisaged in upcoming project (capacity expansion) will be installed with overall sulphur recovery efficiency of min 99.9%.</li> </ul>
vi.	As proposed, record of sulphur balance shall be maintained at the Refinery as part of the environmental data on regular basis. The basic component of sulphur balance include sulphur input through feed (sulphur content in crude oil), sulphur output from Refinery through products, byproduct (elemental sulphur), atmospheric emissions etc.  Flare gas recovery system shall be installed.	, ,
	installed.	<ul><li>operational in the refinery.</li><li>Complied.</li></ul>

Ambient air quality monitoring stations, • Five nos. of offline ambient air quality monitoring [PM10, PM2.5. stations (four in refinery and one in township) and SO2, NOx, H2S, mercaptan, non-methane-HC and three nos. of continuous ambient air quality Benzene] shall be set up in the complex monitoring station has been provided at strategic in consultation with State Pollution locations at BR for monitoring of ambient air Control Board, based on occurrence of quality. maximum ground level concentration Ambient air quality is checked twice in a week in five and down-wind direction of wind. The nos. of offline ambient air quality monitoring monitoring network must be deiced stations as per MoEF&CC standards 2009. based on modeling exercise to represent short term GLCs. • Complied. The total water requirement from ix. • Average fresh water requirement for 2019-20 is artesian wells after expansion of 629.3 m3/hr which is within the allowable limit of proposed project shall not exceed 651 651m3/hr. m<sup>3</sup>/hr and prior permission shall be • Barauni Refinery has received NOC from CGWA on obtained from the competent authority. 19.06.2018. х. proposed, Industrial effluent • Industrial effluent generation for 2019-20 is 486.3 generation shall not exceed 497 m<sup>3</sup>/hr m3/hr which is within the allowable limit of 497 after proposed expansion and treated in m3/hr and is treated in the effluent treatment plant the integrated effluent treatment plant. of the refinery. The plant shall be based on Zero Liquid • Industrial effluent generation post project shall be Discharge and as proposed RO to be maintained within 497 m<sup>3</sup>/hr. installed within the plant. Treated effluent shall be recycled/reused within • Zero liquid discharge is being maintained at Barauni the factory premises. Domestic sewage Refinery except during heavy rainfall, when excess shall be treated in sewage treatment surface run off may have to be allowed to flow into plant (STP). Refinery owned pit (Burrow Pit) adjacent to refinery premise in the West. Treated effluent is being reused for following purpose in the refinery: Cooling Tower makeup water Fire water make up Coke cutting water 0 Make up water for Eco Ponds Horticulture in Eco park • Domestic sewage is treated in biological treatment plant of the refinery. • Complied. Automatic mechanical Oil catchers/oil xi. • Oil catchers have been constructed at following traps shall be provided at all possible strategic locations of the refinery: locations in rain/storm water drainage West of AVU-III system inside the factory premises. West of RFCCU Ω South of DHDT East of Coker A North of Coker A

		<ul><li>North west corner of Stores</li><li>Final drain going to Burrow Pit.</li></ul>
		Oil containment booms have also been installed at 3
		nos of strategic locations in the refinery.
		<ul> <li>Oil collected/trapped by oil catcher and oil containment booms are transferred to ETP mechanically through gully suckers.</li> <li>Complied.</li> </ul>
xii.	The oily sludge shall be subjected to melting pit for oil recovery and the residue shall be bio-remediated. The sludge shall be stored in HDPE lined pit with proper leachate collection system.	<ul> <li>RCC pit for storage of Oily Sludge is in place and mechanized skid process has been deployed for better recovery of oil from oily sludge in place of melting pit. Presently M/s Balmer Lawrie is engaged for this job.</li> </ul>
		Residual oily sludge is bio-remediated in HDPE lined pit as well as confined space bio-remediator.
:••	At least 2.50% of the total and 5.55	• Complied.
xiii.	At least 2.5% of the total cost of the project shall be earmarked towards the Enterprise Social Commitment (ESR) based on Public Hearing issues and item wise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office at Ranchi.	• A total of Rs 399,63,000 for CSR/ESR activities in FY 2019-20. The detail of expenditure is enclosed as Annexure-2.
xiv.	Green belt should be developed in 33% of the plot area to mitigate the effect of	• Total plot area of the refinery including BTP: 887.83 acres.
	fugitive emission all around the plant in	Green belt area in Refinery: 148.39 acres.
	consultation with DFO as per CPCB guidelines. Thick green belt around	Green belt area in Refinery Township: 82.19 acres.
	factory premises should be ensured.	• Total green belt area: 230.58 acres.
		• Number of trees planted till date since 1995 is 111,144.
		• In view of unavailability of space within the refinery premises, scope for extensive tree plantation is limited. However, tree plantation is being taken up both in refinery and township at available spaces. 525 nos. plants were planted in 2019-20.
В	General Conditions	

The project authorities must strictly • Stipulations made by the State Pollution Control adhere to the stipulations made by the Board (SPCB), State Government and any other State Pollution Control Board (SPCB), statutory authority are being followed. State Government and any other Complied. statutory authority. ii. No further expansion or modifications in • Prior approval of ministry would be taken before the plant shall be carried out without carrying out any expansion or modification of the prior approval of the Ministry of plant if required. Environment and Forests. In case of • Complied. deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and additional environmental add protection measures required, if any. The locations of ambient air quality iii. • Five nos. of offline ambient air quality monitoring monitoring stations shall be decided in stations (four in refinery and one in township) and consultation with the State Pollution three nos. of continuous ambient air quality Control Board (SPCB) and it shall be monitoring station has been provided at strategic ensured that at least one stations is locations at BR for monitoring of ambient air quality installed in the upwind and downwind which are located both in upwind as well as direction as well as where maximum downwind direction. level concentrations ground are • Complied. anticipated. The National Ambient Air Quality iv. • Ambient air quality is checked twice in a week in five Emission Standards issued by the nos. of offline ambient air quality monitoring Ministry vide G.S.R. No. 826(E) dated stations as per the National Ambient Air Quality 16th November, 2009 shall be followed. Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009. Complied. V. The overall noise levels in and around • The ambient noise levels from existing facilities the plant area shall be kept well within conform to the standards prescribed under the standards by providing noise control standards prescribed under Environment measures including acoustic hoods, (Protection) Act, 1986 Rules. silencers, enclosures etc. on all sources For personnel working in the proximity of high noise of noise generation. The ambient noise generating equipments, appropriate PPEs are used, levels shall conform to the standards and exposure is controlled through job rotation, prescribed under Environment education and awareness. (Protection) Act, 1986 Rules viz. 75 dBA (day time) and 70 dBA (night time). • Adequate noise control measures shall be taken in new facilities in the project. • List of PPEs provided is attached as annexure-4. Complied.

The company shall harvest rainwater • Rain water harvesting has been implemented at 21 from the roof tops of the buildings and buildings of Barauni Refinery and township in which storm water drains to recharge the water collected from roof top of various buildings is ground water and use the same water recharged to ground water. Additionally, whole for the process activities of the project surface run-off of township is also diverted to 3 nos. to conserve fresh water. of recharge pits. • Storm water drain of the refinery has been routed to ETP and storm water is being reused in refinery operation after treatment along with ETP water except during heavy rainfall, when excess surface run off may have to be allowed to flow into Refinery owned pit (Burrow Pit) adjacent to refinery premise in the West. Complied. Training shall be imparted to all vii. • Training is continuously imparted to all employees employees on Safety and health aspects on chemical handling. of chemical handling. Pre- employment Pre – employment medical examination of all periodical medical and routine employees are carried out before joining the examinations for all employees shall be organization. undertaken on regular basis. Training to all employees on handling of chemical • Routine periodical medical examination as per shall be imparted. statutory requirement is carried out on regular basis. Complied. The company shall also comply with all viii. • Presently Environmental Monitoring of all required the environmental protection measures parameters in Refinery is carried out periodically. and safeguards proposed in the The existing practice shall be extended for the documents submitted to the Ministry. proposed project as per EIA/EMP report. All the recommendations made in the Recommendations of Quantitative Risk Analysis is EIA/EMP in respect of environmental being implemented along with project execution. management, risk mitigation measures and public hearing relating to the project shall be implemented. ix. The company shall undertake • Being done based on the drawn up schedule as part relevant measures for improving the of CSR. CSR plan is finalized in consultation with socio economic conditions of the mukhiyas of surrounding villages. surrounding area. CSR activities shall be Complied undertaken by involving local villages and administration. x. The company shall undertake eco-• Being done based on the drawn up schedule as part developmental measures including of CSR. community welfare measures in the • Complied project area for the overall improvement of the environment.

A separate Environmental Management • BR has a full-fledged environment protection cell with full and a well equipped dedicated pollution control equipped fledged laboratory facilities shall be set up to laboratory established back in 1975. carry out the Environmental • Complied Management and Monitoring functions. The company shall earmark sufficient xii. • Being complied. funds towards capital cost and recurring In addition to one time investment in facilities for cost per annum to implement the combating pollution, separate funds are allocated conditions stipulated by the Ministry of for specific activities such as environment Environment, Forest and Climate Change monitoring, operation and maintenance of effluent as well as the State Government along treatment plant, oil recovery from oily sludge with the implementation schedule for all through mechanized skid process and studies the conditions stipulated herein. The related to environment etc. funds to earmark for environment management/pollution measures shall not be diverted for any other purpose. A copy of the clearance letter shall be xiii. • The instant project being environment project was sent by the project proponent to exempted from public hearing. Further, no concerned Panchayat, ZilaParisad / suggestions were received from Panchayat, Zila Municipal Corporation, Urban local Body Parisad / Municipal Corporation, Urban local Body and the local NGO, if any, from whom and the local NGO while processing the proposal. suggestions/ representations, if any, Nevertheless, copy of clearance has been sent to were received while processing the District Magistrate, Begusarai and Municipal proposal. Commissioner, Begusarai Nagar Nigam vide letter dated 22.02.2020. Attached as Annexure-5. Complied The project proponent shall also submit • A six monthly compliance report and the monitored six monthly reports on the status of data are submitted regularly. compliance of the stipulated • EC Compliance status of various projects is being Environmental Clearance conditions hosted on including results of monitored data https://www.iocl.com/Talktous/SNotices.aspx. (both in hard copies as well as by e-mail) Alternatively, one can reach IOCL home page at to the respective Regional Office of https://www.iocl.com and thereafter selecting MoEF&CC, the respective Zonal Office of "We're Listening" tab followed by opening CPCB and SPCB. A copy of Environmental "Statutory Notices". Clearance and six monthly compliance Complied status reports shall be posted on the website of the company. XV. The environmental statement for each • Environment Statement for each financial year is financial year ending 31<sup>st</sup> March in Formsubmitted to Bihar State Pollution Control Board. V as its mandated shall be submitted to Same shall be sent to Regional Office of MoEF&CC the concerned State Pollution Control by e-mail. Board as prescribed under Environment (Protection) Rules, 1986, as

amended subsequently, shall also be put on the website of the company along

	with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.	
xvi.	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at <a href="http://moef.nic.in">http://moef.nic.in</a> . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	<ul> <li>The information regarding accord of Environment clearance for the subject project has been advertised in two local newspapers. Copy enclosed as Annexure-3.</li> <li>Complied.</li> </ul>
xvii.	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Noted for Compliance.

## **Annexure-1**

# Status and Action Plan for Compliance of Revised Emission and Effluent Standards 2008 at Barauni Refinery

Status as on 31.03.2020

## **Scehdule -I: Petroluem Oil Refinery**

### A. Effluent Discharge

SN	Standard	BR status and action plan
1	Treated Effluent Quality	COMPLIED.

#### **B.** Emissions

SN	Standard	BR status and action plan
2	H₂S in Fuel Gas	COMPLIED.
3	SO₂ Emissions	COMPLIED.
4	NO <sub>x</sub> Emissions	COMPLIED.
5	CO Emissions	COMPLIED.

6	Particulate Matter (PM) Emissions	Barauni Refinery processes more low sulphur crude in recent years. Only about 5% high sulfur crude processing takes place. As a result internal fuel oil quality has been improved w.r.t emission of particulate matter. Further, particulate matter analyzers have been installed in all stacks of refinery and connected to CPCB server since June-16. The online analyzer data available now help us fine tuning fuel firing and optimization of gas mix amongst various furnaces and the controlling the PM parameters within the statutory limit.  COMPLIED.
7	Nickel and Vanadium (Ni+V) Emissions	COMPLIED.
8	Sulphur Content in Liquid Fuel	COMPLIED.
9	Continuous Monitoring System for SO <sub>2</sub> & NO <sub>x</sub> emissions	> COMPLIED.
10	Opacity of Flue Gas ex FCCU Regenerators	> RFCCU was commissioned at Barauni Refinery along with flue gas scrubbing technology supplied by M/s Belco, USA. In the Belco unit, the flue gas is scrubbed with water & diluted caustic solution (<0.5 % concentration by wt.) to remove SOx and particulate matter. PM level in flue gas is less than 30 mg/Nm3. High volume of condensed water vapor generated during water scrubbing of flue gas escapes through the BELCO stack as whitish plume. Opacity meter under such condition is not considered relevant as it will not be effective due to high moisture content in flue gas. > Further, PM analyzers have been installed in RFCCU stack through which particulate matter ex- RFCCU stack is monitored, which is closely akin to monitoring of opacity in flue gas. Therefore opacity meter installation at RFCCU is not planned. > Complied.
11	Sulphur Recovery from	SRU at Barauni refinery meets the revised standard.

	SRU	COMPLIED.
12	H <sub>2</sub> S emissions from	SRU at Barauni refinery meets the revised standard.
12	SRU	COMPLIED.

## C. Fugitive Emission

SN	Standard	BR status and action plan
13	Storage tanks with capacity between 4 to 75 m3 and TVP of more than 10 kpa	Not Applicable.
14	Storage tanks with capacity between 75 to 500 m3 and TVP of 10 to 76 kpa	Not Applicable.
15	Storage tanks with capacity of more than 500 m3 and TVP of 10 to 76 kpa	Storage tanks of Crude, MS & SRN have TVP of 10 to 76 kpa. All such tanks are IFRT or EFRT.  COMPLIED.
16	Storage tanks with capacity of more than 500 m3 and TVP of more than 76 kpa	Not Applicable

17	Provision of secondary seals in floating roof tanks	All such tanks at Barauni Refinery are equipped with double seal.  COMPLIED.
18	Emission control in Rail Tank Wagon/ Road Tank Truck loading for Gasoline and naphtha for VOC reduction	Barauni Refinery complies most of the revised standards for petroleum refineries as notified in Gazette of India on 18th March'08 except vapor recovery system in tank wagon/tank truck. For VOC reduction of 99.5% and emission control to 5 gm/m3 in case of Gasoline and Naphtha loading, VOC recovery system at Loading Gantry would be required. Existing gantry at Barauni refinery does not have adequate space for laying a bigger dia header all along the gantry and other equipments for vapour recovery system. It will also require the shutdown of product loading gantry for 3-4 months to install this facility. Outage of gantry for such a long period cannot be allowable in view of the chances of market dry out of the major petroleum products.
19	Equipments leak and LDAR programme	COMPLIED.

## D. Emission Standards for VOC from Wastewater Collection and Treatment

			VOC treatment system as a part of ETP modernization project has been installed and commissioned.
2	20	VOC Collection & Treatment System	COMPLIED.

## Scehdule -VI, Part C: Petroluem Oil Refinery

SN	Standard	BR status and action plan

21	Quantum limit for discharge of total effluemt	COMPLIED.	
22	Limit of quantity of effluent discharged	COMPLIED.	

### **Annexure-2**

SUMMARY OF CSR EXPENDITURE FY 2019-20					
Sr	Name of Project	Expenditure Amount (Rs)			
	Educational Projects				
1	Barauni Refinery Swasthya Paricharika Prashikshan Yojana (Nursing Scholarship Scheme)	2,91,000			
2	Scholarship scheme of 'Barauni Refinery Dinkar Uchch Shiksha Sahayata Yojana' under CSR scheme of Barauni Refinery for the FY 2019-20	15,00,000			
3	Scholarship scheme of 'Barauni Refinery Shri Krishan Singh Chatravratti Yojana' under CSR scheme of Barauni Refinery for the FY 2019-20	35,75,000			
4	Provision of sports materials to the youth of Mahna & Nurpur Villages for promoting sports culture under the CSR activities of Barauni Refinery	4,08,000			
	Drinking Water				
5	Provision of 02 Nos of RO plants in Mahendrapur & Bihat Village of Begusarai District	18,76,000			
	Environment Sustainability				
6	Development of Community Pokhar (Pond) in Sabaura Village nearby Barauni Refinery under CSR Project	23,19,000			
	Sanitation				
7	Construction of toilets in 06 Nos of govt schools located in nearby areas of Barauni Refinery	29,91,000			
	Flagship Projects				
8	Kendriya Vidyalaya Expenditure for 2019-20	247,29,000			
9	Gyanodaya Scholarship Scheme for Students studying in ITI & Polytechnic Colleges	22,74,000			
	Total Expenditure for FY 2019-20	399,63,000			

## Copy of advertisement regarding receipt of Environment Clearance in two local newspapers

# Triple talaga matter of faith for 1,400 yrs: Sibal

**ain court** Likens divorce law to belief about Ram's birthplace

Bhadra Sinha

NEW DELHI: The All India Muslim Personal Law Board (AIMPLB) on Tuesday defended triple talaq in the Supreme Court, saying it was being practised for 1,400 years and was a matter of faith just like Ram Lalla's birthplace. The board brought up the long-

N, HINDUSTAN TIMES, PATNA 01 WEDNESDAY, MAY 17, 2017

pending dispute over building temple to Lord Ram in Ayodhya, hich Hindus believe is his birth lace, before a five-judge consti-ution bench which is hearing petitions demanding scrapping of the controversial divorce prac-

r tradice.

r tradice.

Whici
Several Muslim women have which told the court the custom was swarp told the court generiustice.

one: biased and against gender justice.
"Triple talaq is not a question
utour of equity and good conscience but
one of faith. Can't bring constitutional morality into it." board's lawyer and senior Congress leader Kapil Sibal said. He also said while Hindu laws

protected all customs "in Muslim law they say customs violate Con-

In a Hindu majority state, Muslims, who were a minority, should be protected. Several Muslim women have

told the court the custom was biased and against gender justice. The Centre backs the petitioners, saying the practice was unconsti-tutional and against equality.



= Kanil Sibal

Sharia was personal law and ont subject to fundamental rights, Sibal said about the Islamic legal and moral code.

"Triple talaq is there since 637. Who are we to say that this is

ns are practic ing it for last 1,400 years. It is a matter of faith. Hence, there was no question of constitutional morality and equity, "Sibal said. "If I have faith that Lord Ram

was born at Ayodhya, then it's a matter of faith and there is no question of constitutional moral-

led by Chief Justice JS Khehar that the source of triple talaq could be found in Hadith and that it came into being after the time of Prophet Muhammad.

The Centre told the court, which is holding day to day hear-ing in the case, on Monday it would bring a matrimony lawfor Muslims to fill a legal vacuum should it strike down triple talag

SHARIA WAS PERSONAL LAW AND NOT SUBJECT TO FUNDAMENTAL

RIGHTS, SIBAL SAID ABOUT THE ISLAMIC EGAL AND MORAL CODE

Triple talaq is the lone contro versial way Sunni Muslim men in India can get a divorce. It allows a man to end a marriage by utter ing the word talag thrice in quick

Attorney general Mukul Rohatgi said it wasn't the court's job to interpret the Quran and it should consider the constitutional validity of triple talaq and not restrict itself to examining whether the custom was fundamental to practicing the faith

If the government brings in a new law it could mean the start of a process to overhaul Muslim personal laws in India that are now guided by a 1937 Sharia code. India has separate sets of per-sonal laws for each religion gov-erning marriage, divorce, succes-sion, adoption and maintenance.

The country's top law officer disagreed with the court that the government should first address whether triple talaq was "essen-tial to religion or not", saying the it was not an ecclesiastical court. With agency inputs)

## Victim kin allege death in custody, block NH 30

Mukesh K Mishra

PATNA: Irate over alleged custodial death of a labourer, his family members blocked National Highway (NH) 30 near the bypass and disrupted movement of traffic for many hours on Tuesday. They also damaged windowpanes of several vehicles and raised slogans against the police, demanding immediate arrest of the cops involved in his killing.

The deceased, Chote Lal Bind 30, had died during treatment at Patna Medical College Hospital (PMCH) on Monday. However, his family alleged that Bind was

histamiy aneged that blind was killed in police custody. Bind was arrested from Begampur area under Bypass police station on charge of con-suming liquor on May 11. Laxmania Devi, wife of Bind,

alleged that her husband was murdered in police custody.
"There were no injury marks on
his body when he was arrested by the Bypass police on May 11 But, when we saw his body on Monday, it wore injury marks on



his face, which proved that he was tortured and killed in police ustody during interroga-ion, "she said. The road blockade was lifted

after senior police officers reached there and assured to take action against the guilty

policemen.
Station house officer (SHO), Bypass police station, Rajendra Prasad said the cause of the death would be known only after getting the postmortem report. The SHO, however, said, Bind

died in course of treatment at the PMCH on Monday.

## FIR: down

hind

Ajay Kumar

MUZAFFARPUR: Muzaffarpur north of Patna an FIR agains victim who ha paramour, for

acy against he The FIR wa aiya police st evening again and her sey hatching a co cate her husba in a false mur

leading the po Sharma, quently arres killing Kuma under judicia

Police said tered after S Lalita Devi senior superi Vivek Kumar ing for release Saraiya po

Santosh Misl tioner, said K

#### from pageone Housing

tary, cabinet secretariat, Brijesh Mehrotra said there was a shortage of about 1.87 crore houses for economically weaker sections in

Under the policy, state agencies engaged in construction of houses and development of plots,

including BSHB, urban local bodies and planning authorities, would have to allocate 50% of the plots and houses for EWS and LIG sections in all projects involving 4000 square metres of land and more

will be armarked for EWS

rest for LI Mehrotra.

"As per t vate develor allocate 15% plots and ho their projec and LIG sec

#### from page on

#### I-T raids

Yadav is the deputy chief minis

Union minister Ravi Shankar Prasad had alleged that these transactions were a case of 'quid b quo' as they dated to the period when Lalu Prasad was the railway minister, and dared Bihar chief minister Nitish Kumar to take action against him.He had claimed one such landdeal involving Lalu and his family members was in Bijwasan in Delhi.

setback to the powerful regional satrap who was disqualified from Parliament and banned from con-testing elections after he was convicted of corruption in 2013 in one

of the biggest scams in Bihar.
However, shortly after Lalu's
tweet, RJD spokesperson Manoj
Jha appeared to have launched a
damage control exercise, saying the reference to "new alliance partners" was an allusion to how the BJP had picked up the income-tax department and CBI as its partners to harass political

y, I-T and CBI have no

#### Nitish

when he broke his silence over the alleged acquisition of as worth Rs 1.000 crore by RJD chief Lalu Prasad and his family, through shell companies at

throwaway prices.
The matter related to the company affairs department and the Centre was competent to initiate action, if there was documentary evidence to warrant an inquiry, he had said in the presence of Prasad's son and deputy CM Tejashwi Prasad Yadav after the conclusion of his weekly Lok maintenance for five years.

The six ix districts are Vais hali, Muzaffarpur, Sitamarhi, Sheohar, East Champaran and West Champaran.

Jauhar said the company ha almost completed its task. "Wor on only six roads remains to l completed. Under the prevailir law and order condition, it will h difficult for us to continue ou work," he said.Meanwhile, as NHPC official said the two engineers had some dispute with a local contractor over payment against the work done.

## IndianOil

. 23201 MH 1959 GOI PUBLIC NOTICE

to bring to kind notice of all concerned that Barauni Refinery has received Environment Clearance for MS Quality Up-gradation & HSD Quality Up-gradation Project vide Ministry's

graduon Project vide Ministry S clearance letter no. J-11011/15/2015 - IA II (I) dated 06.03.2017. The copy of the Environment Clearance letter is available with Bihar State Pollution Control Board and may ilso be seen at website of the finistry at http://moef.nic.in



Eligib Selec

MB

Exem Scho \*IIMs

अगमकुआं थाना क्षेत्र के छोटी पहाड़ी स्थित गोदाम से खाद्य सुरक्षा विभाग ने 230 र

# लावटी सरसों तेल के धंधे क

## अवैध कारोबार

पटना सिटी | हिन्दुस्तान प्रतिनिधि

खाद्य सुरक्षा विभाग ने अगमकुआं थाना क्षेत्र के छोटी पहाड़ी, सम्राट पेट्रोल पंप के पास स्थित गोदाम में छापेमारी कर मिलावटी सरसों तेल के धंधे का भंडोफोड़ किया है। टीम ने मौके से सरसों तेल के नमूने जब्त कर लिया है। जिसे जांच के लिए लैब भेजा जा रहा है। आर्थिक अपराध ईकाई के इंस्पेक्टर देवनारायण पासवान ने बताया कि एक बड़े गैलन में छह हजार लीटर पॉम ऑयल जब्त किया गया है। गौरतलब है कि बीते 21 फरवरी को ही तीन हजार टीन मिलावटी सरसों तेल जब्त किया गया था।

गुप्त सूचना के आधार पर खाद्य सुरक्षा की टीम ने पुलिस के साथ मिलकर मंगलवार की दोपहर गोदाम में छापा मारा। जहां बड़े पैमाने पर सरसों का तेल का निर्माण और पैकिंग किया जा रहा था। टीम को सूचना मिली थी कि कारखाने में पॉम ऑयल, रंग और एसेंस के मिश्रण से सरसों तेल तैयार किया जा रहा है। कारखाने में छापेमारी से आसपास के

भनक लगते ही फरार हो गया। छापेमारी टीम में खाद्य सुरक्षा पदाधिकारी सुदामा चौधरी, मुकेश कश्यप, आर्थिक अपराध ईकाई के इंस्पेक्टर देवनारायण पासवाने. दीपक प्रकाश, अरविंद कुमार राय शामिल थे।

टीम का कहना है कि मिलावट की सूचना पर छापेमारी कर नमूना को जांच

गुरहट्टा, कोटगस्त पुलिस चौकी, चौहटटा समेत दो दर्जनीं मोहल्लों के लोग पानी के लिए परेशान रहे।

मोबाइल नहीं उठाते अधिकारी: समस्या को लेकर जलपर्षद के जेई से लगातार बात करने की कोशिश की गई। लेकिन मोबाइल रिसिव नहीं किया गया। स्थानीय निवासी धनंजय मेहता ने बताया कि बबुआगंज बोरिंग खराब होने की सूचन रविवार को ही विभाग को दी थी। बाव मंगलवार की शाम जलपर्षद के ठप पड़े बोरिंग को दुरुस्त करने मैकेनिकल गैंग कर्मियों ने बताय कि रात तक दोनों बोरिंग पंप को हर हाल में चालू

कर दिया जाएगा। क्या है स्थिति : सिटी अंचल के 20 वार्डों के 90 फीसदी लोगों को सप्लाई पानी पर ही निर्भर रहना पड़ता है। नेकिन क्षेत्र के 80 फीसदी बोरिंग पंप की ऐथाति काफी जाजर है। 60 के दशक में रिखे जलापूर्ति पाइप का व्यास कम होने पाती है। जलापूर्ति पाइप नहीं बिछने से

मचा हडकंप

- खाद्य सुरक्षा विभाग ने मारा छापा, जांच के लिए लैब भेजा तेल का नमूना
- बहे पैमाने पर गोदाम में किया जा रहा था सरसों तेल का निर्माण और पैकिंग
- अवैद्य रूप से मिलावट करने वालों में मची अफरा-तफरी

हजार लीटर पॉम ऑयल एक बड़े गैलेन से जब्त

खाली कंटेनर व मिलावट के सामान बरामद



मिलावटी तेल से स्वास्थ्य को

नुकसान

- किड़नी और लीवर को खराब कर देता है
- गॉल ब्लांडर कैंसर का खतरा बढ जाता है
- नर्व सिस्टम को नुकसान पहुंचाता है
- पाचन तंत्र में खराबी से भूख खत्म हो जाती है

गुलजारबाग में मिला पॉम ऑयल

छोटी पहाड़ी स्थित कारखाने में मिले सुराग के आचार पर अजय कुमार तम में देर शाम छापेमारी की गई। जहां से

चलाया। इस दौरान आरओबी के नीचे अवैध रुप से चला रहे दकानों को जब निगमकर्मियों ने हटाने का प्रयास किया तो दुकानदारों ने इकठ्ठे होकर विरोध करना शुरू कर दिया। अतिक्रमणकारियों से 21 सौ जुर्माना के तौर पर वसली की।

## इंडियनआयल

ईएन- एस 23201 एमएच 1969 जीओवाई 01 रिफाइनरीज प्रभाग-बरौनी रिफाइनरी

आम सूचना

सभी संबंधितों को सुचित किया जाता है कि दिनांक 06.03.2017 के मंत्रालय के स्वीकृति पत्र संख्या- J-11011/15/ 2015 - IA II (I) के द्वारा बरीनी रिफाइनरी को एमएस गुणवता उन्नयन एवं एचएसडी गुणवत्ता उन्नयन परियोजना के लिए पर्यावरण स्वीकृति मिल गई है। पर्यावरण स्वीकृति पत्र की प्रति बिहार राज्य प्रदूषण नियंत्रण बोर्ड में उपलब्ध है। इसे मंत्रालय की देवसाइट http://moef.nic.in प

Regulator at Balgudar in Harolu Block Lakhisarai, District Lakhisa Point of Dunnea Sota (Py Mohanpur under Ghoswari block

fu

निविदा आमाला सूचना निर्मत करने मिविदा आगासस वाज्यसोड करने हिंचर्च देवसाईट <u>www.cpros.bible</u> द्री-दिश्व सेटिंग का समय, स्थान र

नेविक जपलंड करने की जीन


क्रिकी कि मेमले की लिपि

6 the act to net

विश्वापनदाता का पदनाम एवं प विश्वन जानकारी जात करने हेत्

पी आर.-1645 (पाश संसाधन

काम करने के एव



पर जुटे रहे। सबसे ज्यादा परेशानी सुबह में ऑफिस व अन्य कामों पर जाने वाले लोगों को को हुई। वहीं कुछ इलाकों के लोग स्नानादि के लिए गंगा घाट का सहारा लिया। इधर सुबह से लेकर दोपहर तक कई इलाकों में महिलाओं को तसला-

भटकना पड़ा। स्थानीय लोगों ने बताया कि आलमगंज धाना क्षेत्र के बबुआगंज स्थित बोरिंग पंप का रॉड टूट जाने से शनिवार की दोपहर से ठप पड़ा है। वहीं खाजेकलां धाना क्षेत्र के गुरुगोविद सिंह अस्पतील परिसर स्थित बोरिंग पंप ार की शाम से ठप पड़ा है। इस वंप का भी रॉड ट्ट जाने से

जलायति बंद रही। किन-किन इलाकों में रहा जलसंकर : द्येजी ब्रोतिय पंप ठप होने से 40 हजार से अधिक की आबादी पीने की पानी के लिए हलकान रहे। नवीतन बब्धागंज बालीकशुनगंड, आलमगंड, हार्य

बाल्टी लिए पानी की जुगाड़ के लिए

## **Annexure-4**

## List of PPEs provided from Oct'2019 to Mar'2020

S.N	Item	No of pieces
1.	Ear plug	969
2.	Dust Mask	1517
3.	Chemical Resistant (PVC) suit	12
4.	Chemical Resistance (Nitrile) hand	169
	gloves	
5.	Safety Goggles	22
6.	Heat Resistant hand gloves	33
7.	Face Shield	02
8.	Chemical cartridge respirator	13
9.	Safety Helmet	263
10.	Spark Arrestor	16



रिफाइनरीज प्रभाग Refineries Division इंडियन ऑयल कॉर्पोरेशन लिमिटेड

बरोनी रिफाइनरी, डाकघर : बरोनी <mark>ऑयल रिफाइनरी,</mark> जिला : बेगूसराय, बिहार — 851 1<mark>1</mark>4

Indian Oil Corporation Limited

Barauni Refinery, P.O.: Barauni Oil Refinery,

Distt. : Begusarai, Bihar - 85<mark>1</mark> 114 वेबसाइट : www.iocl.com

ई-मेल : baraunirefinery@indianoil.in दूरभाष : 06243-240159 / 240110 फैक्स : 06243-240150 /240278

ISO: 9001, 14001 & OHSAS: 18001 Certified Refinery



Ref.No.: TS/HSE/2020/02/11니습.

Date: 22.02.2020

To,

District Magistrate, Begusarai, Bihar

Sub: Copy of EC received by IOCL, Barauni Refinery for record

Dear Sir,

A copy of Environmental Clearance from MoEF&CC, received by IOCL, Barauni Refinery via F. No. J-11011/15/2015-IA-II (I), for the project for MS quality up-gradation & HSD quality up-gradation in Barauni Refinery at District – Begusarai, Bihar by M/s IOCL, is attached for your kind perusal and record.

Thanking you,

Yours faithfully,

(S K Bhanu)
DEPUTY GENERAL MANAGER (HSE)

Encl: As above.

19, 3. 40

Barauni Refinery - Tu harmony with nature



रिफाइनरीज प्रभाग Refineries Division इंडियन ऑयल कॉर्पोरेशन लिमिटेड बरौनी रिफाइनरी, डाकघर : बरौनी ऑयल रिफाइनरी,

जिला : बेगूसराय, बिहार - 851 114

Indian Oil Corporation Limited

Barauni Refinery, P.O. : Barauni Oil Refinery, Distt. : Begusarai, Bihar - 851 114

वेबसाइट : www.iocl.com

ई-मेल : baraunirefinery@indianoil.in दूरभाष : 06243-240159 / 240110 फेक्स : 06243-240150 /240278

ISO: 9001, 14001 & OHSAS: 18001 Certified Refimery



........

Ref.No.: TS/HSE/2020/02/1145

Date: 22.02.2020

To,

Municipal Commisioner, Begusarai Nagar Nigam Begusarai, Bihar

Sub: Copy of EC received by IOCL, Barauni Refinery for record

Dear Sir,

A copy of Environmental Clearance from MoEF&CC, received by IOCL, Barauni Refinery via F. No. J-11011/15/2015-IA-II (I), for the project for MS quality up-gradation & HSD quality up-gradation in Barauni Refinery at District — Begusarai, Bihar by M/s IOCL, is attached for your kind perusal and record.

Thanking you,

Yours faithfully,

(S K Bhanu)
DEPUTY GENERAL MANAGER (HSE)

Encl: As above.

Barauni Refinery - In harmony with nature