इंडियन ऑयल कॉर्पोरेशन लिमिटेड **बोंगाइगॉव रिफाइनरी** डाकघर : धालीगॉव - 783 385 जिला : चिरांग (असम) Indian Oil Corporation Limited



रिफाइनरी प्रभाग Refineries Division

To

REF: IOC/BGR/ENV/MS Max/MoEF&CC/2024-25/01

Date: 21/12/24

हेरानऑब

The Regional Officer, Ministry of Environment, Forest and Climate Change, Integrated Regional Office, Guwahati, 4th Floor, House fed Building, GS Road, Rukminigaon Guwahati-781022

Subject: Half Yearly Report for the period of (1st April'24 to 30th September'24) for

"MS Maximisation Project"

Reference: Expansion of Pretreater & Reformer from 107,000 TPA to 160,000 TPA of Naphtha for Motor Spirit (MS) Maximisation Project" at Dhaligaon, Chirang, Assam by M/s Bongaigaon Refinery & Petrochemicals Ltd. vide MoEF's letter No.

J.11011/375/2006-IA-II (I) dated 22/03/2007

Dear Sir,

With reference to above, we are enclosing the Six-Monthly Report for the period of 1st April'24 to 30th September'24 for your kind perusal.

The reports are being sent as per EIA Rules'2006 for the "Environmental Clearances" issued by MoEF&CC to Bongaigaon Refinery, (BGR) for "MS Maximisation Project".

Thanking you,

Yours faithfully,

(Biman Gogoi) DGM (HSE) O/P: 03664-25-3302 M-9435122647

Copy to:

- Member Secretary, Pollution Control Board, Assam Bamunimaidam, Guwahati - 781 021
- Zonal Officer, Central Pollution Control Board Eastern Zonal Office, 'TUM-SIR', Lower Motinagar, Near Fire Brigade H.Q., Shillong – 793014

रजिस्टर्ड ऑफिस : जी-9, अली यावर जंग मार्ग, बान्द्रा (पूर्व) मुम्बई - 400 051

रिफाइनरी डिविजन : हेड क्वार्टर : इंडियन ऑयल भवन, स्कोप कंप्लेक्स, कोर - 2, 7, इंस्टिट्युशनल एरिया, लोघी रोड, नई दिल्ली - 110 003 Regd. Office : G-9, Ali Yavar Jung Marg, Bandra (East) Mumbal-400 051

Refineries Division : Head Quarter : IndianOil Bhavan, SCOPE Complex, Core-2, 7, Institutional Area, Lodhi Road, New Delhi - 110 003

Half yearly Report for MS Maximisation Project

(1stApril 2024 to 30th September 2024)



Submitted by:

Indian Oil Corporation Limited **Bongaigaon Refinery** PO: Dhaligaon. District: Chirang. Assam



Status of MS Maximisation Project (1stApril 2024 to 30th September 2024)

Environmental Clearance for "Expansion of Pretreater & Reformer from 107,000 TPA to 160,000 TPA of Naphtha for Motor Spirit (MS) Maximisation Project" at Dhaligaon, Chirang, Assam by M/s Bongaigaon Refinery & Petrochemicals Ltd. vide MoEF's letter No.J.11011/375/2006-IA-II (I) dated 22/03/2007;

Project was commissioned on 31.01.2009

INDEX:

SI. No	Conditions	Status
1.	General & specific conditions and Compliance status of MS Maximisation Project.	Annexure- A
2.	Six monthly Stack Monitoring/ Air Quality Data	Furnished in Appendix-A1
3.	Six monthly effluent discharged quantity, Quality	Furnished in Appendix-A2
4.	Tree Plantation Data	Furnished in Appendix-A3
5.	Additional Information	Furnished in Appendix-A4
6.	Fugitive Emission Data	Furnished in Appendix-A5
7.	Annual return of hazardous waste	Furnished in Appendix-A6(a)
8.	Authorization from PCBA under Hazardous and Other Waste, (Management and Transboundary Movement) Rules 2008	Furnished in Appendix-A6(b)
9.	Details of Wastewater treatment and disposal system	Furnished in Appendix-A7
10.	Quarterly Noise Survey Report.	Furnished in Appendix-A8
11.	Status of Rainwater Harvesting	Furnished in Appendix-A9
12.	Screen Shot of IOCL Website upload of report.	Furnished in Appendix-A10
13.	NABL certificate of QC Lab of Bongaigaon Refinery	Furnished in Appendix-A11
14.	Employees Occupational Heath Checkup Status	Furnished in Appendix-A12
15.	Test report of underground water in the surrounding areas	Furnished in Appendix-A13
16	Flare system.	Furnished in Appendix-A14

pg. 3 (HILSE) . HUKJayak SM (HSE)

1.0

Annexure-A

Sr. No.	Specific Conditions	Compliance Status		
(i)	The gaseous emissions (SO2, NOx, HC, VOC, and Benzene) from various process units shall conform to the standards prescribed by the concerned State Pollution Control Board. All the measures detailed in	Complied. The gaseous emission is within limits.		
	the EMP and response to the Public Hearing shall be taken to control the point/stack and fugitive gaseous emissions from the proposed facilities, process plants and storage units etc. for ensuring that the ambient air quality around the Refinery due to the expansion is maintained at the predicted 24 hourly average maximum concentration.	Emission and ambient air (VOC) data attached as <u>Appendix-A1.</u> HC Fugitive data in <u>Appendix-A5</u> .		
	There will be no increase in the pollution load for any	Complied.		
(ii)	parameter, except the wastewater and solid waste generation, due to the expansion project.	No increase in emission pollutant load.		
	No additional stack is envisaged for the revamp of	Complied.		
(iii)	Pre-treater and Reformer.	No new stack in the project.		
	The emission levels of the other pollutants shall	Complied.		
(iv)	remain within the existing levels.	The emission levels of the other pollutants are within the existing levels.		
	Low Sulphur internal fuel oil & fuel gas will be fired in	Complied.		
(v)	process heaters and boilers.	Low sulphur fuel oil & low sulphur fuel gas is only burnt in the process heaters.		
	Quarterly monitoring of fugitive emissions will be	Complied.		
(vi)	carried out by Fugitive Emission Detectors (GMI Leak Surveyor). Guidelines of CPCB will be followed for monitoring fugitive emissions.	Quarterly fugitive emissions Survey is being carried out regularly.		
(VI)		The quarterly reports for the period of 1 st April 2024 to 30 th September 2024, are attached as <u>Appendix-A5</u> .		
	For control of fugitive emissions, all unsaturated	Complied.		
(vii)	hydrocarbons will be routed to the flare system. The flare system shall be designed for smokeless burning.	There is no open vent.		
		All process systems are routed to the Flare Gas Recovery System (FGRS) for recovery of gas before flaring.		
	Flare Gas Recovery System will be installed for	Complied.		
(viii)	reduction of Hydrocarbon loss and emissions of VOCs, NOx, SO ₂ & CO ₂ to the environment.	Flare Gas Recovery System (FGRS) was installed and commissioned on 2 nd August 2009.		

pg. 4 (HSE) · MUKsauper SM (HSE)

Sr. No.	Specific Conditions	Compliance Status
(ix)	Regular Ambient Air Quality Monitoring shall be carried out. The location and results of existing monitoring stations will be reviewed in consultation with the concerned State Pollution Control Board based on the occurrence of maximum ground level concentration and downwind direction of wind. Additional stations shall be set up, if required. It will be ensured that at least one monitoring station is set up in up-wind & in down-wind direction along with those in other directions.	Complied. Regular Ambient Air Quality Monitoring is being carried out. The locations of ambien air monitoring station are decided on the basis of the highest ground level concentration of pollutants based of dispersion modeling in consultation with PCBA. Additional station is not envisaged.
	Online data for air emission shall be transferred to the	Complied.
(x)	CPCB and SPCB regularly. The instruments used for ambient air quality monitoring shall be calibrated regularly. The monitoring protocol shall ensure continuous monitoring of all the parameters.	On-line stack emission data is bein transmitted continuously to CPCB an SPCB servers.
		The analyzer instruments are calibrate regularly.
	The practice of acoustic plant design shall be adopted to	Complied.
	limit noise exposure for personnel to an 8 hr time weighted average of 90 db (A).	Taken care during implementation of th project
(xi)		Quarterly Noise Survey is being carried ou regularly.
		Quarterly Reports for the period of 1 st Apr 2024 to 30 th September 2024 are attache as <u>Appendix-A8</u> .
(xii)	All the Pumps and other equipment's where there is a likelihood of HC leakages shall be provided with LEL indicators and hydrocarbon detectors. Provision for immediate isolation of equipments, in case of a leakage will also be made. The company shall adopt Leak Detection and Repair (LDAR) programme for	Complied. Additional detectors have been installe after adequacy survey was carried out i addition to earlier installed detectors. LDAR program (Fugitive emission) is bein
	quantification and control of fugitive emissions.	conducted quarterly. The quarterly reports for the period 1 st Apr 2024 to 30 th September 2024 are attache as <u>Appendix-A5</u> .
(xiii)	The product loading gantry shall be connected to the product sphere in closed circuit through the vapor arm connected to the tanker. Data on fugitive emission shall be regularly monitored and records will be maintained.	Not Applicable in this project. Quarterly monitoring of fugitive emissions carried out.
(*****)		The quarterly reports for the period 1 st Apr 2024 to 30 th September 2024 are attache as <u>Appendix-A5</u> .
(xiv)	The company shall ensure that no halogenated organic is sent to the flares. If any stream of the halogenated organic are present, then the respective streams may be incinerated. If there are no technically feasible or economically viable reduction/recovery options. Any stream containing organic carbon, other than halogenated shall be connected to proper flaring system, if not to a recovery device or an incinerator.	There is no halogenated organic component in the streams of this project. All process systems are routed to the Flare Gas Recovery System (FGRS) for recovery of gas before flaring

pg. 5 (HSE) · Mikiaugak SM (HSE)

	All new standards/norms that are being proposed by the CPCB for Petrochemical Plants and Refineries shall	Complied.	
(xv)	be applicable for the proposed expansion unit. The company shall conform to the process vent standards	New Emission & Effluent Standards'2008 are being complied.	
	for organic chemicals including non-VOCs and all possible VOCs i.e. TOCs standards and process vent standards for top priority chemicals. Regular monitoring	Emission and ambient air (VOC) data attached as Appendix-A1.	
	will be carried out for VOC and HC and On-line	HC Fugitive emission data in	
	monitors for VOC measurements may be installed.	Appendix-A5.	
	No additional fresh water will be required for the expansion project. The total requirement of 197 m3/hr	Ensured & complied.	
(xvi)	of fresh water will be met from the existing water withdrawal permissions.	No additional fresh water is being consumed in this project.	
	Wastewater generation after the expansion project will be around 0.015 m ³ /hr, which will be treated in the	Complied. No treated effluent being discharged	
(xvii)	existing ETP. Part of the treated effluent shall be recycled and remaining shall be disposed into the Tunia	outside, 100% recycled. Detail of WWTP is attached as	
	Nullah through closed pipeline.	Appendix-A7.	
	Regular monitoring of relevant parameters for the	Complied.	
(xviii)	underground water in the surrounding areas will be undertaken and the results will be submitted to the relevant States Pollution Control Board.	Samples from surrounding areas are being tested twice in a year and report is attached as Appendix-A13 .	
	Solid waste generated as Pretreater and Reformer Catalysts, Sulphur guard absorbent and Alumina Balls	Complied.	
(xix)	will be disposed off as per the authorisation from State Pollution Control Board.	Please Refer Appendix-A6(a) .	
	Oily sludge shall be sent to melting pit treatment for	Complied.	
(xx)	recovery of oil. The recovered oil shall be recycled into the refinery system. The residual sludge will be stored in HDPE lined pit for disposal after treatment. The sludge will be incinerated in the premises only.	As a measure of Haz. Waste Management, third party is engaged for processing of the oily sludge & recovery of oil from the oily sludge stored in the sludge lagoon on regular basis. During 1st April, 2024 to 30th Sept, 2024, 2339.0 MT of oily sludge has been processed by mechanised processing. Melting pit facility is also available for recovering oil from oily sludge A confined bio-remediation plant of 100 m3 capacity was set up in collaboration with IOCL R&D in 2017 for treatment of oily sludge. During 1 st April 2024 to 30 th September	
		2024, 600 MT of oily sludge has been processed through bio-remediation.	

pg. 6 (HSE) · Mikiaugak SM (HSE)

r. No.	Specific Conditions	Compliance Status
	Green belt shall be provided to mitigate the effects of fugitive emissions all around the plant	Greenbelt is already existed. More than 33% of plant area is having green cover.
	in a minimum of 33% of the plant area in consultation with DFO as per CPCB guidelines.	Tree Census has been carried out through DFC Chirang District in 2013 where 84545 nos. of grown up trees were enumerated.
		The company is planting more than 10000 nos. o tree every year as a part of its environmen initiative.
		Post IndMax & BS-VI project, following plantation done to achieve required greenbelt.
		In the financial year2017-18 BGR has planted 29600 nos of Sapling
xxi)		In the financial year 2018-19, BGR has planted 30062 nos. of trees in and around the complex.
		In financial year 2019-20 BGR has planted 1434 nos. of tree sapling.
		In the FY 2020-21 BGR has planted 25606 nos. c tree sapling.
		In the FY 2021-22 BGR has planted 1,00,000 nos of tree sapling.
		In the FY 2022-23 BGR has planted 27610 nos. o tree sapling.
		In the FY 2023-24 BGR has planted 100630 nos. of tree saplings In the current year FY 2024-25(Till first half) BGF has planted 107530 nos. of tree saplings
(xxii)	The company shall strictly follow all the recommendations mentioned in the Charter on Corporate Responsibility for Environmental Protection (CREP).	The company followed all the recommendation mentioned in the charter on Corporate Responsibility for Environmental Protection (CREP) prior to coming of the Revised Standard applicable to refinery for Environment Protection
	The Company shall harvest surface as well as	Complied.
<i>,</i>	rainwater from rooftops of the buildings proposed in the expansion project and storm water drains to recharge the ground water and use the same water for the various activities of the project to conserve fresh water.	Total 23 nos. of Rainwater Harvesting Project have been implemented covering roof area of 22267 SQM and surface area of 32900 SQN having potential rainwater harvesting volume of 15659.3 M ^{3/Yr.}
(xxiii)		The harvested rainwater for ground wate recharge is through recharge pits and recharge trench based on technical details and guidelines from Central Ground Water Board, North Eastern Region, Guwahati.
		Details attached as Appendix-A9 .
(xxiv)	Occupational Health Surveillance of the workers should be done on a regular basis and records maintained as per the Factories Act.	Complied. Details attached as <u>Appendix-A12</u> .
(xxv)	The Company shall implement all the recommendations made in the EIA /EMP report and risk assessment report.	All recommendation has been complied.

pg. 7 (HSE) · Mikiaugak SM (HSE)

	The company will undertake all relevant	
(xxvi)	measures, as indicated during the Public Hearing for improving the Socio-economic conditions of the surrounding area.	Taking care under CSR Program.

C. GENERAL CONDITIONS

Sr. No.	General Conditions	Compliance status	
(i)	The project authorities must strictly adhere to the stipulations made by the concerned State Pollution Control Board (SPCB) and the State Government.		
(ii)	No further expansion or modifications in the plant	Complied.	
	shall be carried out without prior approval of the Ministry of Environment and Forests.	EC was granted by MoEF&CC to BGR for IndMax & BS-VI projects vide letter F. no. J11011/48/2016-IA-II (I), Dated 19 th Apr'2017.	
		The project aims to enhance expansion of Crude processing from 2.35 to 2.7 MMTPA, other associated projects, e.g. DHDT capacity from 1.2 to 1.8 MMTPA, HGU from 25 KTPA to 30 KTPA, CRU-MSQ revamp and SDS(SRU) unit.	
		All the units of the Project commissioned successfully.	
(iii)	At no time, the emissions should go beyond the	Complied.	
	prescribed standards. In the event of failure of any pollution control system adopted by the units, the respective unit should be immediately put out of operation and should not be restarted until the desired efficiency has been achieved.	Provision for emergency shutdown of unit is provided.	
(iv)	Adequate number of influent and effluent quality	Complied.	
	monitoring stations shall be set up in consultation with the SPCB. Regular monitoring shall be carried out for relevant parameters for both surface and ground water.	All the stipulations made in the NOC issued by PCBA have been complied.	
		Regular monitoring of all relevant parameters is being carried out and reports are being regularly submitted.	
(v)	Industrial wastewater shall be properly collected	Complied.	
	and treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May 1993 and 31st December, 1993 or as amended from time to time. The treated wastewater shall be utilized for plantation purpose.	Industrial waste water disposal system is designed to conform to this norm.	
		Detail of Waste water treatment and disposal system is attached as <u>Appendix-A7</u> .	
		Treated Effluent water quality from refinery is attached as Appendix-A2.	
		Treated effluent after Tertiary Treatment, reused 100% inside the complex as Cooling Water & Firewater make up, unit housekeeping and for horticulture.	

pg. 8 (HSE) · MUKsauget SM (HSE)

SI. No.	General Conditions	Compliance status
(vi)	The overall noise levels in and around the plant	Complied.
	area shall be limited within the prescribed standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise	Taken care during implementation of the project.
		Quarterly Noise Survey is being carried out regularly.
	generation. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	Quarterly Reports for the period of 1 st April 2024 to 30 th September 2024, are attached as <u>Appendix-A8</u> .
(vii)	The project authorities must strictly comply with the provisions made in Manufacture, Storage and Import of Hazardous Chemicals Rules 1989 as amended in 2008 for handling of hazardous	The rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 is complied.
	chemicals etc. Necessary approvals from Chief Controller of Explosives must be obtained before commission of the expansion project. Requisite On-site and Off-site Disaster Management Plans	Necessary explosive approvals are being obtained from the concerned authority.
	will be prepared and implemented.	Emergency Response & Disaster Management Plan (ERDMP) is in place at BGR and mock drills (on-site & off-site) conducted quarterly on various emergency scenarios.
(viii)	Authorization from the State Pollution Control	Complied.
	Board must be obtained for collections/ treatment/ storage/ disposal of hazardous wastes.	Authorization under Hazardous and Other Waste (Management, and Transboundary Movement) Rules 2016 obtained from PCBA and valid up to 31 st March 2027.
		Copy attached as Appendix-A6(b).
(ix)	The project authorities will provide adequate funds both recurring and non-recurring to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so provided should not be diverted for any other purposes.	Complied. Funds were made available for implementing all recommendations
(x)	The stipulated conditions will be monitored by the concerned Regional Office of this Ministry /Central Pollution Control Board/State Pollution Control Board. A six monthly compliance report and the monitored data should be submitted to them regularly. It will also be displayed on the Website of the Company.	Soft copy of last six monthly compliance reports was submitted vide, document no. IOC/BGR/ENV/MS MAX/MoEF&CC/2023- 24/02, Date: 27.06.2024 Same is also uploaded in IOCL website. Ref: <u>Appendix-A10</u>
(xi)	The Project Proponent should inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the State Pollution Control Board/ Committee and may also be seen at Website of the Ministry of Environment and Forests at http://www.envfor.nic.in. This should be advertised within seven days from the date of issue of the clearance letter at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same should be forwarded to the concerned Regional office of this Ministry.	Complied.

(!)	The data of Financial Olympics of the last in	O a mustice d
(xii)	The date of Financial Closure and final approval of the project by the concerned authorities and the date of commencing the land development work as well as the commissioning of the project will be informed to the Ministry and its Regional Office.	 Complied. Project commissioned on: 31.01.2009 Financial Closure: 29.07.2010 No land development activity was there in this project
(xiii)	Proper Housekeeping and adequate occupational health Programme shall be taken up. Regular Occupational Health Surveillance Programme for the relevant diseases shall be carried out and the records shall be maintained properly for at least 30-40 years. Sufficient preventive measures shall be adopted to avoid direct exposure to emission and other Hydrocarbons etc.	Complied. BGR has implemented TPM across the refinery and proper housekeeping is an integral part of the system. Regular health check-up is carried out for the employees and records are maintained. Details attached as <u>Appendix-A12</u> . All necessary precautions/ preventive measures are taken to avoid direct exposure to emission and other Hydrocarbons etc.
(xiv)	A separate environment management cell with full fledge laboratory facilities to carry out various management and monitoring functions shall be set up under the control of a Senior Executive.	Complied. BGR is having a separate environmental management cell and a full-fledged laboratory to carry-out environment management and monitoring functions. BGR Environment Laboratory is accredited by NABL. (Copy attached as <u>Appendix-A11</u>)

pg. 10 (HSE) · HUMANAK SM (HSE)

APPENDIX -A1

STACK MONITORING DATA: (1stApril 2024 to 30th September 2024)

Stacks	Emission Std.	Observed value		
Slacks	Emission Stu.	Min	Avg.	Max
CDU-I		0.50	23.53	33.03
DCU-I		1.99	6.21	9.00
CDU-II		2.29	3.00	3.15
DCU-II		3.68	3.68	3.68
СРР	refineries = 1700 = 50 = 850 = 850	0.01	2.38	13.20
HO-1		0.12	72.52	294.84
Reformer	fine 1700 1700 1700 1700 850 850	34.96	35.00	35.04
HO-2	= 17(= 17(= 5(= 85 = 85	Shut Down		
		0.06	8.90	34.82
DHDT	Existing For F.O. For F.G. or New R For F.O. For F.G.	6.51	7.02	7.85
HGU		2.07	3.03	10.74
NEW SRU	L L L	324	414	537
GTG	Ľ		0.27	9.79
IGHDS		0.04	1.23	2.35
NHT		4.10	12.92	84.42
INDMAX	<u> </u>	2.11	4.81	6.99

A. SO₂ Emission (mg/Nm³)

B. NO_x Emission (mg/Nm³)

Stacks	Emission Std.	Observed value			
		Min	Avg.	Max	
CDU-I		38.57	40.20	44.20	
DCU-I		4.83	5.00	5.20	
CDU-II		0.00	1.22	6.94	
DCU-II		13.27	13.54	13.90	
CPP	g refineries). = 450 3. = 350 Refineries). = 350 3. = 250	33.47	33.50	33.52	
HO-1		0.00	55.32	99.24	
Reformer		34.52	34.54	34.56	
HO-2		Shut Down			
Isomerization		5.84	41.53	79.55	
DHDT	vistir or F.(New or F.(3.96	4.42	5.23	
HGU	For For For For For For	16.71	33.50	56.37	
NEW SRU	For	N/A			
GTG	ш	15.99	16.01	16.91	
IGHDS		0.00	19.55	36.47	
NHT		0.00	4.83	22.35	
INDMAX		103.06	103.06	103.06	

pg. 11 (HISE) · MUKJayak SM (HSE)

Stacks	Emission Std.		Observed value		
		Min	Avg.	Max	
CDU-I		0.86	0.92	1.28	
DCU-I		0.66	0.68	0.71	
CDU-II		0.99	13.05	20.96	
DCU-II		0.72	5.98	13.80	
CPP	<i>(</i> 0	1.39	1.49	1.65	
HO-1	refineries = 100 = 10 = 10 = 10 = 10 = 10 = 10 = 5 : = 5	1.55	7.39	24.66	
Reformer		2.68	2.69	2.72	
HO-2	9. = 1. = 1.	Shut Down			
Isomerization	F.G. =	1.28	1.29	1.34	
DHDT	Existing For F.O. For F.G. or New R For F.O.	2.18	2.29	2.30	
HGU	0	0.19	27.25	33.31	
NEW SRU	Ц Ц Ц	5.80	6.15	6.50	
GTG		1.12	4.89	10.46	
IGHDS		0.05	1.05	1.96	
NHT		0.88	3.47	8.30	
INDMAX	<u> </u>	0.00	16.73	32.2	

C. PM Emission (mg/Nm³)

STACK MONITORING DATA: (1stApril, 2024 to 30thSeptember, 2024)

D. CO Emission (mg/Nm³)

Stacks	Emission Std.		Observed val	ue	
		Min	Avg.	Max	
CDU-I		9.27	9.31	9.37	
DCU-I		1.00	1.63	2.33	
CDU-II		8.58	8.60	8.63	
DCU-II		0.06	0.11	0.23	
СРР		17.98	18.00	18.02	
HO-1	ŵ es	14.98	15.00	15.03	
Reformer	00 00 00 00	12.48	12.50	12.52	
HO-2	= 150 = 150 = 150 = 150 = 150 = 100		Shut Down		
Isomerisation	ອີດ ຕ ^{ີ ແ} ັດ ຕ່	12.36	12.41	12.46	
DHDT	For F.O. For F.O. For F.O. For F.O. For F.O.	1.54	5.32	30.64	
HGU		0.36	13.41	17.81	
NEW SRU	Еог	42.00	45.25	50.00	
GTG		0.26	10.22	22.98	
IGHDS		2.32	2.99	5.88	
NHT		0.25	27.11	56.88	
INDMAX		0.00	0.30	20.87	

STACK MONITORING DATA: (1stApril, 2024 to 30thSeptember, 2024)

Stacks	Emission		Observed va	lue		
	Std.	Min	Avg.	Max		
CDU-I		BDL	BDL	BDL		
DCU-I		BDL	BDL	BDL		
CDU-II		BDL	BDL	BDL		
DCU-II		BDL	BDL	BDL		
СРР		BDL	BDL	BDL		
HO-1	2	BDL	BDL	BDL		
Reformer	U	BDL	BDL	BDL		
HO-2	<u> </u>		Shut Down			
Isomerisation		BDL	BDL	BDL		
DHDT	For	BDL	BDL	BDL		
HGU	L	BDL	BDL	BDL		
NEW SRU		BDL	BDL	BDL		
GTG		BDL	BDL	BDL		
IGHDS		BDL	BDL	BDL		
NHT		BDL	BDL	BDL		
INDMAX		BDL	BDL	BDL		

E. Ni + V Emission (mg/Nm³):

AMBIENT AIR QUALITY AROUND BGR COMPLEX

(Average of monthly sample Schedule - VII) (1stApril, 2024 to 30thSeptember, 2024)

	Station	Continuous Monitoring Station	Near Tube Well No.14	Near LPG Bottling plant	Rural Health Centre	Bartala Rail Gate	Near TW No.7 in Township			
1	SO ₂ (Std. 50/80 μg/m³)									
	Min	0.70	14.20	14.20	16.20	17.32	11.40			
	Average	0.70	21.10	19.71	21.57	23.05	17.39			
	Max	0.71	28.50	25.60	27.57	31.80	22.50			
	No. of observation	Continuous	53	53	53	53	53			
2	NO ₂ (Std. 40/80 µg/m	1 ³)								
	Min	0.03	17.80	19.75	18.50	24.10	2.41			
	Average	0.46	29.06	24.01	26.71	30.27	20.31			
	Max	2.61	35.10	32.30	33.60	38.20	25.60			
	No. of observation	Continuous	53	53	53	53	53			
3	PM-10 (Std. 60/100 μ	g/m³)								
	Min	23.71	70.00	67.70	58.40	68.80	41.30			
	Average	24.97	77.51	75.47	71.45	79.28	48.58			
	Max	25.88	89.90	87.20	85.70	92.30	55.10			
	No. of observation	Continuous	53	53	53	53	53			

pg. 13 (HISE) . HUNAUAK SM (HISE)

	Station	Continuous Monitoring Station	Near Tube Well No.14	Near LPG Bottling plant	Rural Health Centre	Bartala Rail Gate	Near TW No.7 in Township			
4	PM-2.5 (Std. 40/60 μg/m³)									
	Min	8.60	21.38	20.51	23.10	21.57	16.23			
	Average	9.96	29.53	27.11	30.56	29.53	23.50			
	Max	10.95	36.20	32.40	35.50	37.80	29.40			
	No. of observation	Continuous	53	53	53	53	53			
5	Ammonia (Std. 100/4	400 μg/m³)								
	Min	1.69	23.60	21.37	21.40	23.40	19.20			
	Average	1.70	29.77	26.95	29.01	30.92	24.26			
	Max	1.71	42.20	38.80	38.50	45.60	31.10			
	No. of observation	Continuous	53	53	53	53	53			
6	Pb (Std. 0.5/1.0 µg/m	1 ³)								
	Min		BDL	BDL	BDL	BDL	BDL			
	Average		BDL	BDL	BDL	BDL	BDL			
	Max		BDL	BDL	BDL	BDL	BDL			
	No. of observation		53	53	53	53	53			
7	Arsenic (As) (Std. 6 ng/m3)									
	Min		BDL	BDL	BDL	BDL	BDL			
	Average		BDL	BDL	BDL	BDL	BDL			
	Max		BDL	BDL	BDL	BDL	BDL			
	No. of observation		53	53	53	53	53			
8	Ni (Std. 20 ng/m3)				1		•			
	Min		BDL	BDL	BDL	BDL	BDL			
	Average		BDL	BDL	BDL	BDL	BDL			
	Max		BDL	BDL	BDL	BDL	BDL			
	No. of observation		53	53	53	53	53			
9	CO (Std. 2/4 mg/m3						•			
	Min	0.99	0.93	0.91	0.54	0.96	0.86			
	Average	1.32	1.11	1.10	1.24	1.17	1.04			
	Max	1.34	1.38	1.29	1.87	1.65	1.20			
	No. of observation	Continuous	53	53	53	53	53			

pg. 14 (HSE) · HUMANANK SM (HSE)

		Station		Contin Monito Stati	oring	Near Tube Well No.14	Bot	lear LPG ttling pla		Rural Health Centre	Bartala Rail Gate	No	ar TW 5.7 in vnship
10	Ozon	e (Std.1	00/180 µ	ıg/m³ for	8 hrs/1	hr)							
	Min			34.	.9	14.4		13.9		15.1	17.8	1	0.1
	Avera	ge		35.	0	21.0		20.0		21.4	23.4	1	6.7
	Max			35.	.1	28.5		25.4		26.4	31.5	2	21.6
	No. o	f observ	vation	Contin	uous	53		53		53	53		53
11	Benz	ene (Sto	l. 5 µg/r	n³)									
	Min			0.5	5	BDL		BDL		BDL	BDL	E	BDL
	Avera	ge		0.5	5	BDL		BDL		BDL	BDL	E	BDL
	Max			0.5	5	BDL		BDL		BDL	BDL	E	BDL
	No. o	f observ	vation	Contin	uous	53		53		53	53		53
12	Benz	o (a) Py	rene (St	d. 1 ng/m	1 ³)								
	Min					BDL		BDL		BDL	BDL	E	BDL
	Avera	ge				BDL		BDL		BDL	BDL	E	BDL
	Max					BDL		BDL		BDL	BDL	E	BDL
	No. o	f observ	/ation			53		53		53	53		53
			<u>г г</u>		Av	erage of	f Six St	ations	1		1		
	mete r	SO ₂	NO ₂	PM-10	РМ- 2.5	NH3	Pb	As	Ni	Benzo (a) Pyrene	со	C ₆ H ₆	O 3
U	nit			µg/r	n³				ng/m³		mg/m³	μg	/ m ³
S	AQ td. 009	50/ 80	40/ 80	60/ 100	40/ 60	100/ 400	0.5/ 1.0	Max 6	Max 20	Max 1	2/4	Max 5	100/ 180
N	lin	0.70	0.03	23.71	8.60	1.69	BDL	BDL	BDL	BDL	0.54	0.55	10.10
Ave	erage	17.25	21.80	62.88	25.03	23.77	BDL	BDL	BDL	BDL	1.16	0.55	22.93
М	ax	31.80	38.20	92.30	37.80	45.60	BDL	BDL	BDL	BDL	1.87	0.55	35.10

pg. 15 (HSE) · HUMANAK SM (HSE)

APPENDIX-A2

Effluent Discharged (Figure in M³/Hr): (1stApril, 2024 to 30thSeptember, 2024)

Α	Industrial Effluent M ³ /Hr	134.2
в	Domestic Effluent from BGR Township M ³ /Hr	45.5
С	Total Effluent Treated (A + B) M ³ /Hr	179.7
D	Treated Effluent Reused M ³ /Hr	179.7
Е	Effluent Discharged M ³ /Hr	0.00
F	M ³ of Effluent discharged for 1000 tons of Crude processed	0.00

1. Treated Effluent Quality

(1stApril, 2024 to 30thSeptember, 2024)

SI. No	Parameter	Std,2008	Min	Avg.	Max
1	p ^H value	6.0 - 8.5	7.32	7.50	7.66
2	Oil and Grease, mg/l	5.0	2.00	2.40	3.00
3	Bio-Chemical Oxygen Demand (3 Day at 27°C), mg/l	15.0	11.00	12.17	13.00
4	Chemical Oxygen Demand (COD), mg/l	125.0	60.00	65.33	70.00
5	Suspended solids, mg/l	20.0	13.00	15.67	17.00
6	Phenolic compounds (as C6H5OH), mg/l	0.35	0.15	0.24	0.35
7	Sulphide (as S), mg/l	0.50	0.08	0.21	0.48
8	CN mg/l	0.20	0.02	0.02	0.02
9	Ammonia as N, mg/l	15.0	1.95	2.43	3.05
10	TKN, mg/l	40.0	3.08	4.28	5.12
11	P, mg/l	3.0	0.67	0.78	0.86
12	Cr (Hexavalent), mg/l	0.10	-	BDL	-
13	Cr (Total), mg/l	2.0	-	BDL	-
14	Pb, mg/l	0.10	-	BDL	-
15	Hg, mg/l	0.01	-	BDL	-
16	Zn, mg/l	5.0	0.17	0.25	0.39
17	Ni, mg/l	1.0		BDL	
18	Cu, mg/l	1.0	0.02	0.12	0.16
19	V, mg/l	0.20	-	BDL	-
20	Benzene, mg/l	0.10	-	BDL	-
21	Benzo (a) pyrene, mg/l	0.20	-	BDL	-

3.0

2. Final Outlet (From the Complex) storm water channel Quality

SI. No.	Parameter	Std 2008	Min	Avg.	Max
1	p ^H value	6.0 - 8.5	7.29	7.37	7.52
2	Oil and Grease, mg/l	5.0	2.00	2.83	4.00
3	Bio-Chemical Oxygen Demand (3 Days at 27° C), mg/l	15.0	10.00	12.67	14.00
4	Chemical Oxygen Demand (COD), mg/l	125.0	70.00	78.67	90.00
5	Suspended Solids, mg/l	20.0	15.00	17.50	19.00
6	Phenolic compounds (as C₀H₅OH), mg/l	0.35	0.27	0.30	0.33
7	Sulphide (as S), mg/l	0.50	0.18	0.29	0.48
8	CN, mg/l	0.20	BDL	BDL	BDL
9	Ammonia as N , mg/I	15.0	2.10	3.09	3.90
10	TKN, mg/l	40.0	2.91	4.21	5.80
11	P, mg/l	3.0	0.98	1.17	1.70
12	Cr (Hexavalent), mg/l	0.10	-	BDL	-
13	Cr (Total), mg/l	2.0	-	BDL	-
14	Pb, mg/l	0.10	-	BDL	-
15	Hg, mg/l	0.01	-	BDL	-
16	Zn, mg/l	5.0	0.32	0.42	0.56
17	Ni, mg/l	1.0		BDL	
18	Cu, mg/l	1.0	0.05	0.10	0.15
19	V, mg/l	0.20	-	BDL	-
20	Benzene, mg/l	0.10	-	BDL	-
21	Benzo (a) pyrene, mg/l	0.20	-	BDL	-

(1stApril, 2024 to 30thSeptember, 2024)

pg. 17 (HISE) · HURJAYAK SM (HSE)

APPENDIX - A3

Tree Plantation

(1stApril, 2024 to 30thSeptember, 2024)

The entire area inside BGR covered with greenery through massive plantation activities. Through massive plantation work and by giving protection to natural forest growth in side BGR premises, the entire area has become green. The entire plant area where processing plant facilities do not exist has a green cover. This helps in reduction of noise and air pollution level in one hand while on the other hand provides protection to ecological features of the area. The refinery has an excellent quality environment around its complex. Natural greenery can be seen all around the complex as well as in BGR Township in all seasons of the year.

Tree Census was done by Divisional Forest Office, Chirang in the year 2012-13. As per census, 84545 numbers of plants which include trees including shrubs, ocular estimated 33000 numbers bamboos in 1150 no. bamboo culms and also trees, planted by BGR during 2003 to 2012.

To comply MS Maximization and INDMAX EC conditions, BGR has planted 29600 nos of saplings in the FY 2017-18, in FY 2018-19, 30,062 nos, in FY 2019-20, 14340 nos, in FY 2020-21, 25606 nos, in FY 2021-22, 1,00,000 nos, in FY 2022-23, 26710 No. and in FY 2023-24 BGR has planted 100630 nos. of tree saplings planted in and around the complex.

In the FY 2024-25 till date BGR has planted 107530 nos. of tree saplings.



Tree Plantation 2017-18

Birhangaon State Dispensary Plantation 10000 no's in Aug'2017 and 5375 nos. (2nd Phase in August, 2019), Sapling Planted by Miyawaki Method. Growth as on November 2024

Millianjak SM (HSE)

pg. 18

4.0



BGR TOWNSHIP PLANTATION, Planted Van mahotsav 2018, Growth as on November 2024

Tree Plantation 2019-20



North Bongaigaon High School, 5250 Sapling Planted by Miyawaki Method in the month of September 2019, Growth as on November 2024.



Tree Plantation 2020-21



On WED'2020, 3740 nos. of sapling planted in BGR Township, Growth as on November 2024.



4810 nos of sapling Planted in the month of August'2020 at Hatipota Brahma Mandir, Growth as on <u>November 2024.</u>




Tree Plantation 2021-22 (One Lakhs sapling planted during FY 2021-22)



Planted on WED'2021, in BGR Township Growth as on November 2024

11 Jayak M SM (HSE) pg. 21



Planted on Aug,2021 in the complex, North side of new project (IndMax & BS-VI), Growth as on November 2024



· MUKraugak SM (HSE) 0 pg. 22

Planted on Aug,2021, in the complex, North side of new project (IndMax & BS-VI), Growth as on November 2024

Tree Plantation 2022-23



Planted on WED'2022, in BGR Township, Growth as on November 2024



Planted on WED'2023, in BGR Township, Growth as on November 2024





Kashikotra Model Hospital PLANTATION, Planted 2023, Growth as on November'2024

pg. 24 (HSE) · MUSANAK SM (HSE)

APPENDIX – A 4

Additional Information

(1stApril 2024 to 30th September 2024)

Effluent reused during the period is **100%** of the total effluent treated which includes plant effluent as well as BGR Township sewer.

Under the Leak Detection and Repair programme (LDAR), BGR is conducting quarterly Fugitive Emission Survey. During the period from 1stApril 2024 to 30th Sept. 2024 all potential leaky points checked, and few Leaky points detected and rectified. By following LDAR programme in true spirit, the company could not only avoid potential loss of 823.83 KG/Day (approx.) of light Hydrocarbon to the atmosphere, through fugitive sources, but also able to keep healthy work environment in the plants.

To ensure work area quality and health of equipment, quarterly noise survey was conducted covering all the operating plants, control rooms and ambient surrounding the BGR. During 1stApril 2024 to 30th Sept. 2024 Noise Survey for two quarters of 2024-25 (Q-1 & Q-2) has been completed and no major abnormality was reported.

As a measure of Hazardous Waste Management, A third party has been engaged for processing tank bottom sludge through mechanized treatment. Another third party is engaged for processing of the oily sludge & recovery of oil from the oily sludge stored in the concrete lagoon. **During the 1st half of 2024-25**, **2339.0** MT of oily sludge has been processed by mechanized processing Melting pit facility is available for recovering oil from oily sludge.

One old slurry thickener in ETP from Petrochemical section was converted to confined space bioremediation reactor to treat oily sludge with help from IOCL-R&D. The process of bioremediation started from July 2017. From 1stApril 2024 to 30th Sept. 2024, 600.0 MT of oily sludge has been disposed off through bio-remediation process.

Bongaigaon refinery has both confined space and open space bio remediation facility.









Bio-remediation facility of BGR

APPENDIX – A5

Quarterly Fugitive emission survey Data (LDAR) (1stApril 2024 to 30th September 2024)



IOCL- Bongaigaon Q-1 Fugitive emissio



IOCL- Bongaigaon Q-2 Fugitive emissio

HSE) . HUKNayak pg. 26 SM (HSE)

Annual return of hazardous waste (2023-24)



H W return IOCL BGR for 2023-24.pdf

pg. 27 (unse) · Hussayak SM (HSE)





Pollution Control Board:: Assam Bamunimaidam; Guwahati-21 (Department of Environment & Forests:: Government of Assam) Phone: 0361-2652774 & 3150318; Fax: 0361-3150319 Website: www.pcbassam.org

No. WB/T-311/21-22/ 252

Dated Guwahati the, 18. J. September, 2022

FORM – 2

[See Rule 6(2)]

[Grant of Authorization under the Provision of the Hazardous and Other Wastes (Management & Transboundary Movement) Rules, 2016]

- 1. Number of Authorisation and date of issue : No. WB/T-311/21-22/ dtd. .09.2022
- 2. Reference of application (No. and date) : 634914
- 3. M/s Indian Oil Corporation Limited (IOCL), Bongaigaon Refinery, NH 31C (New NH 27), Dhaligaon, Chirang is hereby granted an authorisation based on the signed inspection report for Generation, storage and transportation of Hazardous or Other wastes or both.

DETAILS OF AUTHORISATION

SI. No.	Category of Hazardous Waste as per the Schedules-I, II & III of these rules	Authorised mode of disposal or recycling or utilisation or co- processing, etc.	Quantity (ton/annum)	Mode of Management
1	Schedule-I, SI.No. 4.1 : Oil sludge or emulsion	Generation, Storage & Transportation	7000 MT/Annum	Transportation to authorized actual user/Recyclers/ Disposa agencies/ reprocessing and recovery/Captive treatment,through Bio- remediation as per prescribed norms
2	Schedule-I, SI.No. 4.2: Spent catalyst	Generation, Storage & Transportation	2500 MT/Annum	Transportation to authorized actual user/Recyclers in accordance with HOWM Rules,2016
3	Schedule-I, SI.No. 4.3: Slop Oil	Generation, Storage & Transportation	32000 MT/Annum	Captive Utilization as per prescribed norms.
4	Schedule-I, SI.No. 5.1: Used or spent oil	Generation, Storage & Transportation	20 MT/Annum	Transportation to authorized actual user/Recyclers
5	Schedule-I, SI.No. 33.1:Empty barrels/containers/liners contaminated with hazardous chemicals/wastes	Generation, Storage & Transportation	7000 numbers/Annum	Transportation to authorized actual user/Recyclers

4. This authorisation shall be in force in force for the period of five years up to 31.03.2027 unless otherwise revoked or withdrawn within this period.

5. The authorisation is subject to the following general and specific conditions:

A. GENERAL CONDITIONS OF AUTHORISATION:

- 1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
- 2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Control Board.
- 3. The person authorised shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization.
- 4. The agencies should ensure that the barrels are decontaminated before collection in the premises of the occupier / generator equipped with adequate effluent treatment plant.
- . 5. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorization.
- 6. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time
- 7. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time



9.0 <u>APPENDIX-A7</u>

Detail of Wastewater treatment and disposal system.



ETP description.pdf

pg. 30 (HISE) · HUMJaugak SM (HSE)

pg. 31 (HSE) · HURNAUPAK SM (HSE)

10.0

ANNEXURE-A8

Quarterly Noise Survey Data (1stApril 2024 to 30th September 2024)

HSE (ENVIRONMENT) DEPARTMENT



IOCL- Bongaigaon Q-1 Noise report 20%



IOCL- Bongaigaon Q-2 Noise report 20%



ANNEXURE-A9

Rain Water Harvesting Data

Total Recharging, Area In m² Recharging, Status SI.No. **RWH** systems m³/Yr m3/Yr Rainwater Harvesting at Mandir Complex 7125 20748 1 Pond 677 1848 2 Manjeera Guest House 99239.14 In operation Deoshri Guest House Rainwater Harvesting at Parivesh Udyan 3 581 1586 5775 16817 Pond 4 20000 58240 Rainwater Harvesting at Eco-Park Pond 5 Mandir Complex 6 833 2274 639 1744 Manas Guest House 7 14597 In operation BGR HS School, BGR Township 1361 8 3716 704 9 **DPS Block-I** 1922 **DPS Block-II** 1810 4941 10 8556 In operation BGR Canteen, CISF Office & Scooter Shed 3134 8555 11 Champa Club (Officers Club) 1100 3003 12 10046 In operation Refinery Club cum Community Centre 2580 7043 13 Employee Union Conference Hall Building 275 751 14 3003 In operation **CISF Quarter Guards Building** 15 825 2252 **CISF Conference Hall & Barack** 1050 2867 16 4541 In operation **BGR Community Centre** 650 1775 17 Foot Ball Stadium gallery 18 988 2697 2597 In operation Vollyball Stadium Gallery 19 20 Control Room - BS-VI 3747 3747 1372.5 Commissioned in June'2020 21 Substation - BS-VI 2572 2572 942 Commissioned Admin. Block-B 4723 4723 22 1730 In Aug'2020 Commissioned Temple Complex(NEW) 2771 2771 23 1015.1 in March/2021 TOTAL 55,167 156593 156592

BGR: Rain Water Harvesting till March 2021

Whalk' HSE

pg. 33 (HSE) · MUSANAK SM (HSE)

12.0 ANNEXURE-A10

Screen Shot of IOCL Website upload of report Link: <u>https://iocl.com/statutory-notices</u>

← → C ¹; iocl.com/statutory-notices



About Us 👻 IndianOil For You

> Six Monthly EC Compliance Reports of Panipat Refinery and Petrochemical Complex (1st Half_Jan'24 to June'24)

- > Six Monthly EC Compliance (Panipat Refinery) 1st Half_Jan'24 to June'24 (Content in English) (6.94 MB)
- Six Monthly EC Compliance (Panipat Naphtha Cracker) 1st Half_Jan'24 to June'24 (Content in English) (10.4 MB)
- > Half Yearly EC compliance report of Mahura refinery Oct'23 April'24" 🎦 (Content in English) (18.5 MB)
- > Six monthly EC compliances reports(2nd half FY 2023-24) of Bongaigaon Refinery
 - Six Monthly Compliance for IndMax & BS-VI Project 2nd half 2023-24 🖁 (Content in English) (2.47 MB)
 - Six Monthly Compliance DHDT project, 2nd half 2023-24 (Content in English) (2.57 KB)
 - > Six Monthly Compliance MS Maximalisation Project 2nd half 2023-24 Content in English) (2.63 KB)
 - Six Monthly Compliance of MS Quality Improvement project 2nd half 2023-24 (Content in English) (2.65 KB)
 - > Six Monthly Compliance (Refinery-II) 2nd half 2023-24 🔓 (Content in English) (2.94 MB)

pg. 34 June . Musicupel SMCHSE

13.0

ANNEXURE-A11

NABL certificate of QC Lab of Bongaigaon Refinery




NABL Certificate TC-6027.pdf (1).pdf

ise) . Miksayak pg. 35 SM (HSE)


14.0 Appendix-A12

Employees Occupational Heath Checkup Status



Note: Employees occupational health checkup program affected during the year 2020-22, due to the COVID-2019 pandemic situation.

pg. 36 (HSE) · HUKJayak SM (HSE)



THANKS

